Hydric Soils List


Warren County, Virginia

| Map Symbol and Map Unit Name | Component | Hydric | Local Landform | Hydric Criteria Code | Meets Saturation Criteria | Meets Flooding Criteria | Meets Ponding Criteria | Acres |
|--|--------------|--------|----------------|----------------------------|---------------------------------|-------------------------------|------------------------------|-------|
| 1B: Berks channery silt loam, 2 to 7 percent slopes | Berks | No | | | | | | 3,598 |
| 1C: Berks channery silt loam, 7 to 15 percent slopes | Berks | No | | | | | | 4,129 |
| 1D: Berks channery silt loam, 15 to 25 percent slopes | Berks | No | | | | | | 726 |
| 2B: Blairton silt loam, 2 to 7 percent slopes | Blairton | No | Valley | | | | | 981 |
| 2C: Blairton silt loam, 7 to 15 percent slopes | Blairton | No | Valley | | | | | 227 |
| 3C: Buchanan fine sandy loam, 7 to 15 percent slopes | Buchanan | No | Mountain | | | | | 602 |
| 4C: Buchanan fine sandy loam, 7 to 15 percent slopes, very stony | Buchanan | No | Mountain | | | | | 292 |
| 5: Buckton silt loam, 0 to 2 percent slopes, occasionally flooded | Buckton | No | Flood Plain | | | | | 914 |
| | Wet spots | Yes | Flood Plain | 4 | No | Yes | No | 51 |
| 6C: Carbo-Endcav silty clay loams, 7 to 15 percent slopes, very rocky | Carbo | No | Valley | | | | | 500 |
| | Endcav | No | | | | | | 450 |
| 7C: Carbo-Endcav-Rock outcrop complex, 7 to 15 percent slopes | Carbo | No | Valley | | | | | 321 |
| | Endcav | No | | | | | | 275 |
| | Rock outcrop | No | | | | | | 275 |
| 8C: Cataska channery silt loam, 7 to 15 percent slopes | Cataska | No | | | | | | 208 |

Distribution Generation Date: 11/27/02

| | | Hydric | Local Landform | | | | | |
|---|-------------|--------|----------------|----------------------------|---------------------------------|-------------------------------|------------------------------|-------|
| Map Symbol and Map Unit Name | Component | | | Hydric Criteria Code | Meets Saturation Criteria | Meets Flooding Criteria | Meets Ponding Criteria | Acres |
| 8D: Cataska channery silt loam, 15 to 25 percent slopes | Cataska | No | | | | | | 1,131 |
| 8E: Cataska channery silt loam, 25 to 65 percent slopes | Cataska | No | | | | | | 1,970 |
| 9: Chagrin fine sandy loam, 0 to 2 percent slopes, frequently flooded | Chagrin | No | | | | | | 1,922 |
| | Wet spots | Yes | Flood Plain | 4 | No | Yes | No | 120 |
| 10C: Chester loam, 7 to 15 percent slopes | Chester | No | | | | | | 1,532 |
| 10D: Chester loam, 15 to 25 percent slopes | Chester | No | | | | | | 1,396 |
| 10E: Chester loam, 25 to 65 percent slopes | Chester | No | | | | | | 519 |
| 11D: Chester-Manor complex, 15 to 25 percent slopes, very stony | Chester | No | | | | | | 700 |
| | Manor | No | | | | | | 420 |
| 11E: Chester-Manor complex, 25 to 60 percent slopes, very stony | Chester | No | | | | | | 4,212 |
| | Manor | No | | | | | | 3,276 |
| 12D: Chilhowie silty clay loam, 15 to 25 percent slopes, rocky | Chilhowie | No | | | | | | 498 |
| 13B: Clearbrook channery silt loam, 2 to 7 percent slopes | Clearbrook | No | Valley | | | | | 446 |
| 13C: Clearbrook channery silt loam, 7 to 15 percent slopes | Clearbrook | No | Valley | | | | | 437 |
| 14: Craigsville cobbly sandy loam, 0 to 5 percent slopes, frequently flooded | Craigsville | No | | | | | | 317 |

| Map Symbol and Map Unit Name | Component | Hydric | Local Landform | Hydric Criteria Code | Meets Saturation Criteria | Meets Flooding Criteria | Meets Ponding Criteria | Acres |
|---|-------------|--------|----------------|----------------------------|---------------------------------|-------------------------------|------------------------------|-------|
| 14: Craigsville cobbly sandy loam, 0 to 5 percent slopes, frequently flooded | Wet spots | Yes | Flood Plain | 4 | No | Yes | No | 19 |
| 15E: Dekalb channery loam, 25 to 65 percent slopes | Dekalb | No | Mountainside | | | | | 3,066 |
| 16F: Drall-Rubble land complex, 35 to 70 percent slopes | Drall | No | | | | | | 648 |
| | Rubble land | No | | | | | | 324 |
| 17B: Dyke loam, 2 to 7 percent slopes | Dyke | No | | | | | | 409 |
| 17C: Dyke loam, 7 to 15 percent slopes | Dyke | No | | | | | | 1,071 |
| 18B: Endcav silt loam, 2 to 7 percent slopes | Endcav | No | | | | | | 613 |
| 18C: Endcav silt loam, 7 to 15 percent slopes | Endcav | No | | | | | | 370 |
| 19B: Hawksbill cobbly loam, 2 to 7 percent slopes, occasionally flooded | Hawksbill | No | | | | | | 1,590 |
| | Wet spots | Yes | Terrace | 2B3 | Yes | No | No | 94 |
| 20B: Hawksbill very cobbly loam, 2 to 7 percent slopes, occasionally flooded | Hawksbill | No | | | | | | 405 |
| | Wet spots | Yes | Terrace | 2B3 | Yes | No | No | 23 |
| 20C: Hawksbill very cobbly loam, 7 to 15 percent slope, occasionally flooded | Hawksbill | No | | | | | | 1,148 |
| 21D: Lew channery loam, 7 to 25 percent slopes | Lew | No | | | | | | 841 |
| 22E: Lew loam, 25 to 65 percent slopes, very stony | Lew | No | | | | | | 947 |



| Map Symbol and Map Unit Name | Component | Hydric | Local Landform | Hydric Criteria Code | Meets Saturation Criteria | Meets Flooding Criteria | Meets Ponding Criteria | Acres |
|---|--------------|--------|----------------|----------------------------|---------------------------------|-------------------------------|------------------------------|-------|
| 23B: Lodi silt loam, 2 to 7 percent slopes | Lodi | No | | | | | | 2,031 |
| 23C: Lodi silt loam, 7 to 15 percent slopes | Lodi | No | | | | | | 3,328 |
| 23D: Lodi silt loam, 15 to 25 percent slopes | Lodi | No | | | | | | 2,349 |
| 24B: Lodi silt loam, 2 to 7 percent slopes, rocky | Lodi | No | | | | | | 279 |
| 24C: Lodi silt loam, 7 to 15 percent slopes, rocky | Lodi | No | | | | | | 1,022 |
| 24D: Lodi silt loam, 15 to 25 percent slopes, rocky | Lodi | No | | | | | | 483 |
| 25C: Lodi silt loam, 7 to 15 percent slopes, very rocky | Lodi | No | | | | | | 846 |
| 25D: Lodi silt loam, 15 to 25 percent slopes, very rocky | Lodi | No | | | | | | 722 |
| 26C: Lodi-Rock outcrop complex, 2 to 15 percent slopes | Lodi | No | | | | | | 361 |
| | Rock outcrop | No | | | | | | 216 |
| 26E: Lodi-Rock outcrop complex, 15 to 45 percent slopes | Lodi | No | | | | | | 871 |
| | Rock outcrop | No | | | | | | 523 |
| 27B: Millrock loamy fine sand, 0 to 7 percent slopes, frequently flooded | Millrock | No | | | | | | 542 |
| | Wet spots | Yes | Flood Plain | 4 | No | Yes | No | 17 |
| 28B: Monongahela loam, 2 to 7 percent slopes | Monongahela | No | | | | | | 818 |
| | Purdy | Yes | Flood Plain | 2B3,3 | Yes | No | Yes | 48 |

| Map Symbol and Map Unit Name | Component | Hydric | Local Landform | Hydric Criteria Code | Meets Saturation Criteria | Meets Flooding Criteria | Meets Ponding Criteria | Acres |
|---|-------------|--------|----------------|----------------------------|---------------------------------|-------------------------------|------------------------------|-------|
| 28C: Monongahela loam, 7 to 15 percent slopes | Monongahela | No | | | | | | 384 |
| | Purdy | Yes | Flood Plain | 2B3,3 | Yes | No | Yes | 23 |
| 29C: Montalto loam, 7 to 15 percent slopes | Montalto | No | | | | | | 896 |
| 30C: Myersville silt loam, 7 to 15 percent slopes | Myersville | No | | | | | | 630 |
| 30D: Myersville silt loam, 15 to 25 percent slopes | Myersville | No | | | | | | 525 |
| 31C: Myersville-Catoctin silt loams, 7 to 15 percent slopes, very stony | Myersville | No | | | | | | 389 |
| | Catoctin | No | | | | | | 311 |
| 31D: Myersville-Catoctin silt loams, 15 to 25 percent slopes, very stony | Myersville | No | | | | | | 789 |
| | Catoctin | No | | | | | | 631 |
| 31E: Myersville-Catoctin silt loams, 25 to 65 percent slopes, very stony | Myersville | No | | | | | | 4,063 |
| | Catoctin | No | | | | | | 3,656 |
| 32C: Myersville and Montalto soils, 7 to 15 percent slopes, very stony | Myersville | No | | | | | | 1,118 |
| | Montalto | No | | | | | | 894 |
| 32D: Myersville and Montalto soils, 15 to 25 percent slopes, very stony | Myersville | No | | | | | | 4,318 |
| | Montalto | No | | | | | | 3,454 |

| Map Symbol and Map Unit Name | Component | Hydric | Local Landform | Hydric Criteria Code | Meets Saturation Criteria | Meets Flooding Criteria | Meets Ponding Criteria | Acres |
|--|------------|----------|----------------|----------------------------|---------------------------------|-------------------------------|------------------------------|-------|
| 32E: Myersville and Montalto soils, 25 to 65 percent slopes, very stony | Myersville | No | | | | | | 4,078 |
| | Montalto | No | | | | | | 3,262 |
| 33: Newark silt loam, 0 to 2 percent slopes, frequently flooded | Newark | No | | | | | | 762 |
| | Wet spots | Yes | Flood Plain | 2B3,4 | Yes | Yes | No | 45 |
| 34: Pits, quarries and dumps | Pits | Unranked | | | | | | 587 |
| 35: Purdy loam, 0 to 2 percent slopes | Purdy | Yes | Terrace | 2B3 | Yes | No | No | 536 |
| 36E: Rigley sandy loam, 25 to 60 percent slopes, very stony | Rigley | No | | | | | | 1,187 |
| 37D: Rigley-Weikert-Berks complex, 15 to 25 percent slopes, very stony | Rigley | No | | | | | | 1,721 |
| | Berks | No | | | | | | 430 |
| | Weikert | No | Valley | | | | | 430 |
| 38B: Sequoia silt loam, 2 to 7 percent slopes | Sequoia | No | Valley | | | | | 1,074 |
| 38C: Sequoia silt loam, 7 to 15 percent slopes | Sequoia | No | | | | | | 778 |
| 39B: Unison loam, 2 to 7 percent slopes | Unison | No | Terrace | | | | | 796 |
| 39C: Unison loam, 7 to 15 percent slopes | Unison | No | Terrace | | | | | 2,129 |
| 39D: Unison loam, 15 to 25 percent slopes | Unison | No | Terrace | | | | | 1,142 |
| 40C: Unison cobbly loam, 7 to 15 percent slopes | Unison | No | Terrace | | | | | 241 |



| Map Symbol and Map Unit Name | Component | Hydric | Local Landform | Hydric Criteria Code | Meets Saturation Criteria | Meets Flooding Criteria | Meets Ponding Criteria | Acres |
|--|-----------|----------|----------------|----------------------------|---------------------------------|-------------------------------|------------------------------|-------|
| 41C: Weikert-Berks channery silt loams, 7 to 15 percent slopes | Weikert | No | Valley | | | | | 561 |
| | Berks | No | | | | | | 357 |
| 41D: Weikert-Berks channery silt loams, 15 to 25 percent slopes | Weikert | No | Valley | | | | | 2,081 |
| | Berks | No | | | | | | 1,664 |
| | Wet spots | Yes | Depression | 2B3,4 | Yes | Yes | No | 125 |
| 41E: Weikert-Berks channery silt loams, 25 to 65 percent slopes | Weikert | No | Valley | | | | | 7,333 |
| | Berks | No | | | | | | 6,000 |
| 42B: Zoar silt loam, 0 to 7 percent | Zoar | No | | | | | | 2,087 |
| W: Water | Water | Unranked | | | | | | 1,537 |